

Company - ICV GROUP
Brand - Norres
Category - Industrial Hoses
Product - NORPLAST PUR-C 385 AS

For further information please contact the Sales Manager at:

Tel: (91) 124 670 7872 · (91) 9717219219 ·  
Email: sales@norres.in

Norres is represented by ICV GROUP, the authorized distributor for India / South Asia.

ICV Group, Level 5, SREI Signature, Plot 14A, Udyog Vihar, Sector 18, Gurgaon 122015, Haryana, India.

Tel: (91) 124 670 7872;  
Fax: (91) 124 670 7702  
Email: info@icvgroup.in


## NORPLAST PUR-C 385 AS

Antistatic polyurethane hose, light weight, microbe resistant + flame-retardant, grounding wire

### Product Photo



### Structure Design



### Suitable For Material

Air, Dust, Solid,

### Application

Explosion hazard areas, Construction industry, Antistatic, Electrostatic discharging, Electrically conductive hoses, Insulation-blowing systems,

### Categories

Abrasion Resistant Hoses, Anti-Static / Conductive Hoses, HVAC/Air/Air-Conditioning Hoses, Suction & Transportation Hoses,

### Product Specification

Material -	Polyurethane	Line -	NORPLAST
Diameter -	Min: 20 mm , Max: 152 mm	Temperature -	Min: -20°C , Max: 70°C
Length -	10 20	Wall Thickness -	

### Design & Construction

1. hard plastic spiral integrated in wall, spiral: rigid PVC
2. smooth interior, wall: permanently antistatic premium ester-polyurethane (Pre-PUR®)
3. grounding wire

### Product Features

- light weight
- abrasion-resistant
- microbe resistant
- good resistance to chemicals
- phthalate-free
- flame-retardant according to: DIN 4102-B1
- grounding wire for discharging of electrostatic charging
- permanently antistatic wall: electrical and surface resistance  $<10^1 \hat{a}, \hat{a}, \hat{a}$

### Certification

- in accordance with ATEX 2014/34/EU and German TRGS 727: aspiration of combustible dust (zone 22 inside), for conveying of non-flammable liquids, for use in zone 1 and 2 (gases)

- conforms to the safety regulations of the German Wood Trade Association
- conforms to RoHS guideline

### Compatible Accessories



CLAMP 208



CONNECT 223



CONNECT 228



CONNECT 270-271

### Product Technical Specification

ID (mm)	Wall Thickness (mm)	OD (mm)	Over pressure (kg/cm <sup>2</sup> )	Under Pressure (kg/cm <sup>2</sup> )	bending radius (mm)	weight (kg/m)	length (m)	Furthur Production Length (m)	SKUCODE
20		26	1,000	0,250	15,0	0,100	-	10 20	385-0020-2878
25		31	1,000	0,250	17,5	0,130	10 20	-	385-0025-2878
30		36	0,900	0,250	20,0	0,140	-	10 20	385-0030-2878
32		38	0,850	0,200	19,0	0,160	10 20	-	385-0032-2878
35		41	0,800	0,200	27,5	0,170	-	10 20	385-0035-2878
38		45	0,750	0,200	31,0	0,200	10 20	-	385-0038-2878
40		47	0,750	0,200	40,0	0,210	10 20	-	385-0040-2878
44-45		52	0,650	0,200	42,5	0,250	10 20	-	385-0045-2878
50-51		58	0,500	0,200	45,0	0,290	10 20	-	385-0050-2878
60		68	0,500	0,160	50,0	0,430	10 20	-	385-0060-2878
63-65		71	0,450	0,160	48,5	0,460	10 20	-	385-0063-2878
70		79	0,400	0,160	60,0	0,500	10 20	-	385-0070-2878
75-76		84	0,375	0,160	66,0	0,570	10 20	-	385-0075-2878
80		89	0,350	0,160	70,0	0,590	10 20	-	385-0080-2878
89-90		100	0,300	0,140	80,0	0,670	10 20	-	385-0090-2878
100-102		110	0,280	0,130	90,0	0,750	10 20	-	385-0100-2878
110		121	0,250	0,120	95,0	0,900	-	20	385-0110-2878
120		131	0,250	0,100	100,0	1,000	-	20	385-0120-2878
125-127		136	0,250	0,100	107,5	1,100	10 20	-	385-0125-2878
130		141	0,200	0,090	105,0	1,200	-	20	385-0130-2878
140		152	0,200	0,090	110,0	1,300	-	20	385-0140-2878
150-152		162	0,180	0,080	125,0	1,500	10 20	-	385-0150-2878



### Engineering & Technical Data



Company - ICV GROUP

Brand - Norres

Category - Industrial Hoses

For further information please contact the Sales Manager at:

Tel: (91) 124 670 7872 · (91) 9717219219 ·

Email: sales@norres.in

ICV Group, Level 5, SREI Signature, Plot 14A, Udyog Vihar, Sector 18, Gurgaon 122015, Haryana, India.

Tel: (91) 124 670 7872;

Product - NORPLAST PUR-C 385 AS

Norres is represented by ICV GROUP, the  
authorized distributor for India / South  
Asia.

Fax: (91) 124 670 7702  
Email: [info@icvgroup.in](mailto:info@icvgroup.in)

---

Disclaimer: The proper use and maintenance of hose and/or ducting manufactured by Norres is the sole responsibility of the purchaser and ultimate user of the product. This information is presented as a general guide only. Manufacturer warranty is applicable only on sales through the authorized distributor for that region.