

Company - ICV GROUP
Brand - Norres
Category - Industrial Hoses
Product - AIRDUC TPE 363

For further information please contact the Sales Manager at:
 Tel: (91) 124 670 7872 · (91) 9717219 219 ·
 Email: sales@norres.in
 Norres is represented by ICV GROUP, the authorized distributor for India / South Asia.

ICV Group, Level 5, SREI Signature, Plot 14A, Udyog Vihar, Sector 18, Gurgaon 122015, Haryana, India.
 Tel: (91) 124 670 7872;
 Fax: (91) 124 670 7702
 Email: info@icvgroup.in


AIRDUC TPE 363

TPE hose, medium-heavy (up to +150°C)

Product Photo



Structure Design



Suitable For Material

Air, Dust, Solid,

Application

Film blowing machines, Textile industry, Compressor, Paper mills, Boats, Busses, Cooling air, Compressors, Caravans / camper, Drying air,

Categories

Material Handling Hoses, High Temperature / Flame Retarding Hoses, HVAC/Air/Air-Conditioning Hoses,

Product Specification

Material -	TPE	Line -	AIRDUC
Diameter -	Min: 30 mm , Max: 305 mm	Temperature -	Min: -40°C , Max: 125°C
Length -	10	Wall Thickness -	0.8

Design & Construction

1. spring steel wire firmly embedded in wall
2. wall: thermoplastic rubber (TPE)
3. wall thickness 0,8 mm approx.

Product Features

- medium-heavy duty
- very good heat resistance
- good resistance to oil, gasoline and chemicals
- good resistance to alkalis and acids
- conforms to RoHS guideline

Certification

Compatible Accessories





CONNECT 270-271

Product Technical Specification

ID (mm)	Wall Thickness (mm)	OD (mm)	Over pressure (kg/cm ²)	Under Pressure (kg/cm ²)	bending radius (mm)	weight (kg/m)	length (m)	Furthur Production Length (m)	SKUCODE
30	0.8	38	0,925	0,195	23	0,210	10	-	363-0030-0000
32	0.8	40	0,870	0,190	24	0,250	10	-	363-0032-0000
35	0.8	43	0,795	0,180	26	0,270	-	10	363-0035-0000
38	0.8	46	0,730	0,175	27	0,290	10	-	363-0038-0000
40	0.8	48	0,695	0,170	28	0,300	10	-	363-0040-0000
42	0.8	50	0,665	0,165	29	0,310	-	10	363-0042-0000
44-45	0.8	53	0,620	0,160	31	0,330	10	-	363-0045-0000
50-51	0.8	58	0,560	0,150	33	0,370	10	-	363-0050-0000
55	0.8	63	0,510	0,130	36	0,420	-	10	363-0055-0000
60	0.8	68	0,465	0,115	38	0,450	10	-	363-0060-0000
63-65	0.8	73	0,430	0,100	41	0,490	-	10	363-0065-0000
70	0.8	78	0,400	0,085	43	0,530	10	-	363-0070-0000
75-76	0.8	83	0,370	0,080	46	0,560	-	10	363-0075-0000
80	0.8	88	0,350	0,070	48	0,590	10	-	363-0080-0000
89-90	0.8	98	0,310	0,065	53	0,670	10	-	363-0090-0000
100-102	0.8	108	0,280	0,050	58	0,740	10	-	363-0100-0000
110	0.8	118	0,255	0,045	63	0,810	-	10	363-0110-0000
114-115	0.8	123	0,245	0,045	66	0,840	-	10	363-0115-0000
120	0.8	128	0,235	0,045	68	0,870	-	10	363-0120-0000
125-127	0.8	133	0,225	0,035	71	0,910	10	-	363-0125-0000
130	0.8	138	0,215	0,035	73	0,950	-	10	363-0130-0000
140	0.8	148	0,200	0,035	78	1,020	-	10	363-0140-0000
150-152	0.8	158	0,190	0,035	83	1,100	10	-	363-0150-0000
160	0.8	168	0,175	0,030	88	1,160	-	10	363-0160-0000
165	0.8	173	0,170	0,030	91	1,190	-	10	363-0165-0000
170	0.8	178	0,165	0,025	93	1,230	-	10	363-0170-0000
175	0.8	183	0,160	0,025	96	1,260	-	10	363-0175-0000
178-180	0.8	188	0,155	0,025	98	1,290	10	-	363-0180-0000
200-203	0.8	208	0,140	0,025	108	1,440	10	-	363-0200-0000
225	0.8	233	0,130	0,020	121	1,630	10	-	363-0225-0000
228-229	0.8	236	0,120	0,020	122	1,650	-	10	363-0228-0000
250	0.8	258	0,120	0,020	133	1,810	10	-	363-0250-0000
254	0.8	262	0,110	0,015	135	1,860	-	10	363-0254-0000
275	0.8	283	0,110	0,010	146	2,010	-	10	363-0275-0000
280	0.8	288	0,100	0,010	148	2,180	-	10	363-0280-0000
300	0.8	308	0,090	0,010	158	2,420	-	10	363-0300-0000
305	0.8	313	0,090	0,010	160	2,480	-	10	363-0305-0000
30	0.8	38	0,925	0,195	23	0,210	10	-	363-0030-0000
32	0.8	40	0,870	0,190	24	0,250	10	-	363-0032-0000
35	0.8	43	0,795	0,180	26	0,270	-	10	363-0035-0000
38	0.8	46	0,730	0,175	27	0,290	10	-	363-0038-0000
40	0.8	48	0,695	0,170	28	0,300	10	-	363-0040-0000
42	0.8	50	0,665	0,165	29	0,310	-	10	363-0042-0000
44-45	0.8	53	0,620	0,160	31	0,330	10	-	363-0045-0000
50-51	0.8	58	0,560	0,150	33	0,370	10	-	363-0050-0000
55	0.8	63	0,510	0,130	36	0,420	-	10	363-0055-0000
60	0.8	68	0,465	0,115	38	0,450	10	-	363-0060-0000
63-65	0.8	73	0,430	0,100	41	0,490	-	10	363-0065-0000
70	0.8	78	0,400	0,085	43	0,530	10	-	363-0070-0000
75-76	0.8	83	0,370	0,080	46	0,560	-	10	363-0075-0000
80	0.8	88	0,350	0,070	48	0,590	10	-	363-0080-0000

ID (mm)	Wall Thickness (mm)	OD (mm)	Over pressure (kg/cm ²)	Under Pressure (kg/cm ²)	bending radius (mm)	weight (kg/m)	length (m)	Furthur Production Length (m)	SKUCODE
89-90	0.8	98	0,310	0,065	53	0,670	10	-	363-0090-0000
100-102	0.8	108	0,280	0,050	58	0,740	10	-	363-0100-0000
110	0.8	118	0,255	0,045	63	0,810	-	10	363-0110-0000
114-115	0.8	123	0,245	0,045	66	0,840	-	10	363-0115-0000
120	0.8	128	0,235	0,045	68	0,870	-	10	363-0120-0000
125-127	0.8	133	0,225	0,035	71	0,910	10	-	363-0125-0000
130	0.8	138	0,215	0,035	73	0,950	-	10	363-0130-0000
140	0.8	148	0,200	0,035	78	1,020	-	10	363-0140-0000
150-152	0.8	158	0,190	0,035	83	1,100	10	-	363-0150-0000
160	0.8	168	0,175	0,030	88	1,160	-	10	363-0160-0000
165	0.8	173	0,170	0,030	91	1,190	-	10	363-0165-0000
170	0.8	178	0,165	0,025	93	1,230	-	10	363-0170-0000
175	0.8	183	0,160	0,025	96	1,260	-	10	363-0175-0000
178-180	0.8	188	0,155	0,025	98	1,290	10	-	363-0180-0000
200-203	0.8	208	0,140	0,025	108	1,440	10	-	363-0200-0000
225	0.8	233	0,130	0,020	121	1,630	10	-	363-0225-0000
228-229	0.8	236	0,120	0,020	122	1,650	-	10	363-0228-0000
250	0.8	258	0,120	0,020	133	1,810	10	-	363-0250-0000
254	0.8	262	0,110	0,015	135	1,860	-	10	363-0254-0000
275	0.8	283	0,110	0,010	146	2,010	-	10	363-0275-0000
280	0.8	288	0,100	0,010	148	2,180	-	10	363-0280-0000
300	0.8	308	0,090	0,010	158	2,420	-	10	363-0300-0000
305	0.8	313	0,090	0,010	160	2,480	-	10	363-0305-0000



Engineering & Technical Data



Company - ICV GROUP
Brand - Norres
Category - Industrial Hoses
Product - AIRDUC TPE 363

For further information please contact the Sales Manager at:
 Tel: (91) 124 670 7872 · (91) 9717219219 ·
 Email: sales@norres.in
 Norres is represented by ICV GROUP, the authorized distributor for India / South Asia.

ICV Group, Level 5, SREI Signature, Plot 14A, Udyog Vihar, Sector 18, Gurgaon 122015, Haryana, India.
 Tel: (91) 124 670 7872;
 Fax: (91) 124 670 7702
 Email: info@icvgroup.in

Disclaimer: The proper use and maintenance of hose and/or ducting manufactured by Norres is the sole responsibility of the purchaser and ultimate user of the product. This information is presented as a general guide only. Manufacturer warranty is applicable only on sales through the authorized distributor for that region.